

## CF33SF

Refrigerator, Universale, Bottom Mount, Free standing, Hinge position: Right, Silver, Fan assisted, F



### TYPE

Product Family: Refrigerator • Installation: Free standing • Category: Bottom Mount • Cooling type: Fan assisted • Defrost: Automatic for refrigerator, manual for freezer • Hinge position: Right • Hinge type: Standard • Reversible door: Yes • EAN code: 8017709293352

### AESTHETICS

Colour: Silver • Aesthetics: Universale • Design: Flat • Material: Metal sheet • Handle type: Fixed • Handle: External • Handle colour: Silver • Side material: Steel • Side colour: Silver • Color of glass shelf profile: White

### REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 3 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: Standard • Type of adjustable shelves: Glass • Crisper Cover: Yes • Bottle shelf: Yes • Type of crisper/vegetable drawers cover: Glass • Internal light in fridge: Yes • Type of internal light (fridge): Incandescent light

### REFRIGERATOR INNER DOOR

No. of door shelves with transparent cover: 1 • Number of adjustable door shelves: 2 • No. of bottle shelves: 1

---

## OTHER REFRIGERATOR FEATURES

Accessories: Egg tray • Fan: Yes

---

## FREEZER COMPARTMENT FEATURES

Number of drawers: 2

---

## OTHER FREEZER FEATURES

Accessories: 1 ice box • Ice tray shelf: Yes

---

## OTHER TECHNICAL FEATURES

Antibacterial Gasket: Yes • Type of temperature control: Electro-mechanical • No. of compressors: 1 • Type of compressor: Standard

---

## PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 287 kWh/a • Energy efficiency class: F • Total net volume: 300 l • Sum of the volumes of the frozen compartment(s): 95 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 205 l • Airborne acoustical noise emission class: C • Temperature Rise Time: 15 h • 4 star - Freezing capacity: 4.3 Kg/24h • Climate class: SN, ST • EEI: 124 %

---

## ELECTRICAL CONNECTION

Electrical connection rating: 120 W • Voltage (V): 220-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 215 cm

---

## LOGISTIC INFORMATION

Dimensions: 1851x595x562 mm • Width: 595 mm • Product width with maximum doors opening: 1046 mm • Height: 1851 mm • Depth without handle: 562 mm • Net weight (kg): 59.500 kg

