

FC20EN1X

Refrigerator, Universale, Bottom Mount, Free standing, Hinge position: Right, Stainless steel, Total No Frost - Double Cooling system, E



TYPE

Product Family: Refrigerator • Installation: Free standing • Category: Bottom Mount • Cooling type: Total No Frost - Double Cooling system • Sistema Total No - Frost: Total • Defrost: Automatic • Hinge position: Right • Hinge type: Standard • Reversible door: Yes • Slot-in: Yes • Door opening flush with the wall: Yes • EAN code: 8017709295783

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetics: Universale • Design: Flat • Material: Stainless steel • Door steel type: Finger proof • Handle: Integrated • Side material: Steel • Side colour: Silver • Display: LCD • Display position: Interno (cella frigo)

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 2 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: On sliding rails • Type of adjustable shelves: Glass • Crisper Cover: Yes • Type of crisper/vegetable drawers cover: Glass • Life Plus zone-0° C: Yes • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

Number of adjustable door shelves: 2 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Egg tray • MultiFlow: Yes • Fan: Yes

FREEZER COMPARTMENT FEATURES

Number of drawers: 3

OTHER FREEZER FEATURES

Accessories: 2 ice boxes

OTHER TECHNICAL FEATURES

Functions display: Fast cooling, ECO • Door open alarm: Yes • Temperature Alarm: Yes • Type of temperature control: Electronic
• No. of compressors: 1 • Type of compressor: Standard

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 250 kWh/a • Energy efficiency class: E • Total net volume: 366 l • Sum of the volumes of the frozen compartment(s): 101 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 266 l • Airborne acoustical noise emission class: C • Temperature Rise Time: 11.32 h • 4 star - Freezing capacity: 8.0 Kg/24h • Climate class: SN, T • EEI: 100 %

ELECTRICAL CONNECTION

Electrical connection rating: 180 W • Voltage (V): 220-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 210 cm

LOGISTIC INFORMATION

Dimensions: 2010x595x650 mm • Width: 595 mm • Product width with maximum doors opening: 982 mm • Height: 2010 mm • Depth without handle: 650 mm • Product depth with doors open at 90°: 1198 mm • Spacer depth: 38 mm • Net weight (kg): 70.000 kg

