

FD70FN1HX

Refrigerator, Universale, Double Door, Free standing, Hinge position: Right, Stainless steel, Total No Frost - Double Cooling system, F





TYPE

Product Family: Refrigerator • Installation: Free standing • Category: Double Door • Cooling type: Total No Frost - Double Cooling system • Sistema Total No - Frost: Total • Defrost: Automatic • Hinge position: Right • Hinge type: Standard • Reversible door: Yes • Slot-in: Yes • EAN code: 8017709295981

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetics: Universale • Design: Flat • Material: Stainless steel • Door steel type: Finger proof • Handle type: Fixed • Handle: External • Handle colour: Silver • Side material: Steel • Side colour: Silver

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 2 • Number of fruit and vegetables drawers: 2 • Type of crisper/vegetable drawers cover: Standard • Type of adjustable shelves: Glass • Crisper Cover: Yes • Type of crisper/vegetable drawers cover: Glass • Life Plus zone-0°C: Yes • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

Number of adjustable door shelves: 3 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Cheese box, Egg tray • MultiFlow: Yes • Fan: Yes

FREEZER COMPARTMENT FEATURES

No. of shelves: 1 • Type of shelves: Glass • Type of internal light (freezer): LED

FREEZER INNER DOOR

No. of adjustable door shelves: 2

OTHER FREEZER FEATURES

Manual ice maker: Yes • Ice maker: Manual

OTHER TECHNICAL FEATURES

Type of temperature control: Electro-mechanical • No. of compressors: 1 • Type of compressor: Standard

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 311 kWh/a • Energy efficiency class: F • Total net volume: 434 I • Sum of the volumes of the frozen compartment(s): 98 I • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 337 I • Airborne acoustical noise emission class: C • Temperature Rise Time: 13.28 h • 4 star - Freezing capacity: 7.0 Kg/24h • Climate class: SN, T • EEI: 125 %

ELECTRICAL CONNECTION

Electrical connection rating: 200 W • Voltage (V): 220-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 210 cm

LOGISTIC INFORMATION

Dimensions: 1830x700x720 mm • Width: 700 mm • Product width with maximum doors opening: 1138 mm • Height: 1830 mm • Depth without handle: 720 mm • Product depth with handle: 734 mm • Product depth with doors open at 90°: 1356 mm • Spacer depth: 30 mm • Net weight (kg): 75.500 kg

