

S8C124DE

Refrigerator, Universale, One Door, Built-in, Hinge position: Right, White, Static, E





TYPE

Product Family: Refrigerator • Installation: Built-in • Category: One Door • Cooling type: Static • Defrost: Automatic • Hinge position: Right • Hinge type: Door on door • Reversible door: Yes • Built-in niche: 122 • EAN code: 8017709294687

AESTHETICS

Colour: White • Aesthetics: Universale • Design: Flat • Side material: Steel • Side colour: White • Display: LCD Touch • Display porition: Interno (sul Top) • Door shelves profile color: Silver • Drawers profile color: Silver • Color of glass shelf profile: Chrome

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 3 • Number of fruit and vegetables drawers: 2 • Type of crisper/vegetable drawers cover: Standard • Type of adjustable shelves: Glass • Crisper Cover: Yes • Type of crisper/vegetable drawers cover: Glass • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

No. of door shelves with transparent cover: 1 • Number of adjustable door shelves: 2 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Egg tray

FREEZER COMPARTMENT FEATURES

Internal freezer compartment: Yes

OTHER TECHNICAL FEATURES

Functions display: Fast freezing, Fast cooling, Control lock, Temperature alarm, Cooling timer • Temperature alarm lamp: Yes • Door open alarm: Yes • Temperature Alarm: Yes • Type of temperature control: Electro-mechanical • No. of compressors: 1 • Type of compressor: Standard • Max weight door panel (fridge): 18 kg

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 146 kWh/a • Energy efficiency class: E • Total net volume: 181 | • Sum of the volumes of the frozen compartment(s): 14 | • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 167 | • Airborne acoustical noise emission class: B • Temperature Rise Time: 9.80 h • 4 star - Freezing capacity: 2.6 Kg/24h • Climate class: SN, N, ST • EEI: 100 %

ELECTRICAL CONNECTION

Electrical connection rating: 130 W • Voltage (V): 230-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 240 cm

LOGISTIC INFORMATION

Dimensions: 1224x556x549 mm • Width: 556 mm • Width of the built-in niche: 560 mm • Product width with maximum doors opening: 780 mm • Height: 1224 mm • Height of the built-in niche: 1225 mm • Depth without handle: 549 mm • Depth of the built-in niche: 550 mm • Net weight (kg): 41.000 kg

