

## KSCF120B

Hood, Ceiling hood, Universale, White, 120 cm



### TYPE

Product family: Hood • Hood Type: Ceiling hood • Hood width: 120 cm • Extraction: Recirculation • Electronic control: Yes • Perimeter extraction: Yes • EAN code: 8017709226145

### AESTHETICS

Colour: White • Finishing: Glass • Aesthetics: Universale • Design: Ceiling • Material: Painted material + Glass • Glass Type: White

### PROGRAMME / FUNCTIONS

No. of speeds: 4 • Time-setting options: Automatic switch-off

### CONTROLS

Control setting: Electronic buttons + Remote Control

### TECHNICAL FEATURES

No. of lights: 2 • Light type: LED • Light Power: 12 W • Light color temperature scale (°K): 4000 °K • Free outlet maximum capacity: 845 m<sup>3</sup>/h • Motor power: 90 W • No. of filters: 2 • Anti-grease filters: stainless steel 7 layer • Charcoal filters included: Yes • Minimum distance from GAS hob: 650 mm • Minimum distance from ELECTRIC hob: 650 mm

## ELECTRICAL CONNECTION

Electrical connection rating: 114 W • Voltage: 230 V • Frequency (Hz): 50 Hz • Power supply cable length: 1000 mm

## SPEED 1

Extraction rate IEC 61591: 350 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 38 dB(A) • Power: 62 W

## SPEED 2

Extraction rate IEC 61591: 450 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 48 dB(A) • Power: 68 W

## SPEED 3

Extraction rate IEC 61591: 600 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 55 dB(A) • Power: 79 W

## SPEED 4

Extraction rate IEC 61591: 650 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 58 dB(A) • Power: 90 W

## LOGISTIC INFORMATION

Dimensions of the product (mm): 165x1200x700 • Width: 1200 mm • Depth (mm): 700 mm • Product Height (mm): 165 mm •

Net weight (kg): 34.000 kg

## ACCESSORIES INCLUDED

Remote control: Yes

