

SFC6400VX

Oven, Selezione, 60cm, Fan assisted, Stainless steel, A, Catalytic





























TYPE

Product Family: Oven • Category: 60cm • Cooking Method: Fan assisted • Power supply: Electric • EAN code: 8017709263065 • Cleaning system: Catalytic

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetic: Selezione • Material: Stainless steel • Type of steel: Brushed • Glass Type: Eclipse • Door: With panel • Handle: Selection squared • Handle Colour: Steel effect

PROGRAMME / FUNCTIONS

No. of cooking functions: 6 • Traditional cooking functions: Static, Fan assisted, Eco, Large grill, Fan grill (large), Fan assisted base

CONTROLS

Display: Yes • Control setting: Knobs • No. of controls: 2 • Control knobs: Cucina restyling • Controls colour: Steel effect • Buttons colour: Silver

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 1 • Rapid pre-heating: Yes • Chronology: Yes, the last 10 functions utilized

TECHNICAL FEATURES

Display name: DigiScreen • Display technology: LED • Temperature control: Electro-mechanical • Minimum Temperature: 50 °C • Maximum temperature: 250 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 1 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Temperate door • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 3 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Grill element - power: 1800 W • Large grill - Power: 2700 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • Net volume of the cavity: 70 I • Energy consumption in conventional mode: 4.14 MJ • Energy consumption per cycle in conventional mode: 1.15 KWh • Energy consumption in forced air convection: 2.88 MJ • Energy consumption per cycle in fan-forced convection: 0.80 KWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 34.700 kg

ACCESSORIES INCLUDED

Enamelled deep tray (40mm): 1Catalytic Panels: YesRack with back stop: 1

OPTIONAL

PRTX: Pizza stone, Ovens, CookersPALPZ: Pizza shovel, Ovens, CookersPPR2: Pizza stone, Ovens, CookersBN620-1: Tray, Ovens, CookersBN640: Tray, Ovens, CookersGTT: Telescopic Guides, Ovens, CookersGTP: Telescopic Guides, Ovens, CookersPR3845X: Antifingerprint, OvensPIR2: Pan, Ovens, Cookers

