


# SIM3864D

Hob, Aesthetics: Universale, Induction, 80 cm, Black, Built-in type: Ultra-low profile or Fully Flushed



## TIMER FUNCTION

The hob allows you to program the switching off of one or more cooking zones after a set time, alerting the user by means of an acoustic signal.



	EVO	<b>P</b>	중	/e9 <sub>75</sub> \	;•••
$\bigcirc$	$\bigcirc$		C	60 °C :	
<b>4</b>	O)	STOP ℃∓		łł	

## TYPE

Product Family: Hob • Dimensions: 80 cm • Type: Induction • Built-in type: Ultra-low profile or Fully Flushed • Power supply:

Electric • EAN code: 8017709305581

## AESTHETICS

Colour: Black • Finishing: Glass • Aesthetics: Universale • Material: Glass • Glass type: ceramic Eclipse • Type of control setting: EVO Slider • Control knob position: Front • Slider: Yes • Glass edge: Straight edge • Serigraphy colour: Grey

## **PROGRAMME / FUNCTIONS**

Total no. of cook zones: 6 • No. of induction cook zones: 6 • Time-setting options: Spegnimento automatico • No. of cooking zones with booster: 6 • No. of Flexible zones: 3 • Main on/off switch: Yes • Power levels: 9 • Auto-vent 2.0: Sì



## **GRILL FUNCTION**

It is possible to combine two cooking zones and use the special grill and teppanyaki accessories, which in just two minutes reach the ideal temperature for cooking meat and vegetables.

#### **OPTIONS**

Worktop Cut-Out: 490x750-780 mm • Multizone Option: Yes • Flexible Zone Type: MultiZone • End cooking timer: 6 • Pause option: Yes • Minute minder: 1 • End of cooking alarm: Yes • Residual time indicator: Yes • Limited Power Consumption Mode: Si Advance • Limited Power Consumption Mode in W: 2400 a 11100 - step 100 W • Showroom Demo Option: Yes • Grill function: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Bridge option: Yes • Quick start: Yes • Rapid level selection: Yes

### **COOKING ZONES**

1st zone position: Front-left • 2nd zone position: Rear-left • 3rd zone position: Front-centre • 4th zone position: Rear-centre • 5th zone position: Front-right • 6th zone position: Rear-right • 1st zone type: Induction - Multizone • 2nd zone type: Induction - Multizone • 3rd zone type: Induction - Multizone • 4th zone tipe: Induction - Multizone • 5th zone type: Induction - Multizone • 6th zone type: Induction - Multizone • 1st zone dimensions: 24.0x18.0 cm • 2nd zone dimensions: 24.0x18.0 cm • 3rd zone dimensions: 24.0x18.0 cm • 4th zone dimensions: 24.0x18.0 cm • 2nd zone dimensions: 24.0x18.0 cm • 4th zone dimensions: 24.0x18.0 cm • 2nd zone dimensions: 24.0x18.0 cm • 3rd zone dimensions: 24.0x18.0 cm • 4th zone dimensions: 24.0x18.0 cm • 5th zone dimensions: 24.0x18.0 cm • 6th zone dimensions: 24.0x18.0 cm • 6th zone dimensions: 24.0x18.0 cm • 6th zone dimensions: 24.0x18.0 cm • 2nd zone dimensions: 24.0x18.0 cm • 6th zone dimensions: 24.0x18.0 cm • 1st zone power: 2.10 kW • 2nd zone power: 2.10 kW • 3rd zone power: 2.10 kW • 4th zone power: 2.10 kW • 5th zone power: 2.50 kW • Power double booster 3° zone: 3.00 kW • Power double booster 1° zone: 3.00 kW • Power double booster 5° zone: 3.00 kW • 1st zone booster power: 2.50 kW • 6th zone booster power: 2.50 kW • 6th zone booster power: 2.50 kW • 8th zone booster power: 2.50 kW • 6th zone booster power: 2.50 kW • 8th zone booster power: 2.50 kW • 8th zone booster power: 2.50 kW • 8th zone booster power left Multizone: 3.70 kW • 8th zone booster power: 2.50 kW • 8th zone booster power right Multizone: 3.70 kW

#### **TECHNICAL FEATURES**

Automatic setting according to pan dimension: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • pan detection: Yes, min 9 cm • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Residual heat indicator: Yes • Protection against accidental start up: Yes

#### **PERFORMANCE / ENERGY LABEL**

2nd zone energy consumption: 195 Wh/Kg • Energy consumption zone 3: 195 Wh/Kg • Energy consumption zone 4: 198 Wh/Kg • Energy consumption zone 5: 195 Wh/Kg • Energy consumption zone 6: 191 Wh/Kg

#### **ELECTRICAL CONNECTION**

Electrical connection rating (W): 11100 W • Voltage (V): 220-240 V • Voltage 2 (V): 380-415 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Three and Single/Two-phase • Power supply cable length: 120 cm

## LOGISTIC INFORMATION

Dimensions of the product (mm): 53x900x510 • Depth: 510 mm • Width: 900 mm • Product Height: 53 mm • Net weight (kg):

16.000 kg

## OPTIONAL

SCRP: Scraper, Cookers, HobsTPK: Teppanyaki grill, HobsGRIDDLE: Grill, Cookers, Hobs

