

# SOP6102S2PS

Oven, Linea, 60cm, Combi Steam, Steam range: 20 - 40%, Silver, A+, Pyrolitic



<u></u> ∦ -Œ	P ≣		p	EVO screen	ŝ
<u>.</u> 5	°°	ē	Ŀ	4	Ø
111 	68 It				

# TYPE

Product Family: Oven • Category: 60cm • Steam range: 20 - 40% • Cooking Method: Combi Steam • Galileo platform: Pyro steam • Power supply: Electric • EAN code: 8017709305680 • Cleaning system: Pyrolitic

# AESTHETICS

Colour: Silver • Finishing: Glossy • Aesthetic: Linea • Material: Glass • Glass Type: Stopsol • Door: Full glass • Handle: Linea • Handle Colour: Chromed

## **PROGRAMME / FUNCTIONS**

No. of cooking functions: 12 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Base, Pizza • Cooking functions with steam: Fan assisted, Circulaire, Turbo, Grill + fan • Other Steam functions: Tank cleaning, Water outlet, Water input, Descaling • Other functions: Defrost by time, Leavening, Stone cooking, BBQ, Air-Fry, Sabbath • Cleaning functions: Pirolysis

## CONTROLS

Display: Yes • Control setting: Knobs & touch buttons • No. of controls: 2 • Control knobs: Linea

#### **OPTIONS**

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 1 • Showroom demo option: Yes • Rapid pre-heating: Yes • Controls Lock / Child Safety: Yes • Cooking with probe thermometer: Yes • Other options: Keep warm, Eco light, Tones, Brightness

#### **TECHNICAL FEATURES**

Display name: EvoScreen • Display technology: LCD • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • Soft Open: Yes • Soft Close hinges: Yes • Chimney: Fixed • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolisis: Yes • Water loading: Drawer, manual • Tank capacity: 0,8 I • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Grill element - power: 1750 W • Circular heating element - Power: 2000 W

### **PERFORMANCE / ENERGY LABEL**

Energy efficiency class: A+ • Net volume of the cavity: 68 I • Energy consumption in conventional mode: 3.92 MJ • Energy consumption per cycle in conventional mode: 1.09 KWh • Energy consumption in forced air convection: 2.45 MJ • Energy consumption per cycle in fan-forced convection: 0.68 KWh

#### **ELECTRICAL CONNECTION**

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

### LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 42.400 kg

### ACCESSORIES INCLUDED

Enamelled tray (20mm): 1Insert gird: 1Rack with back stop: 1Enamelled deep tray (50mm): 1Temperature probe: Yes, single point

# OPTIONAL

PALPZ: Pizza shovel, Ovens, CookersSFLK1: Child Lock, Ovens, CookersPR3845X: Antifingerprint, OvensPIR2: Pan, Ovens,

Cookers

