


## ST4533IN

Dishwashers, Universale, Fully-integrated built-in , 45 cm, Black, D



### TYPE

Product Family: Dishwashers • Commercial height: 82 cm • Installation: Fully-integrated built-in • Commercial width: 45 cm •  
Kitchen panel: Not supplied • EAN code: 8017709302924

### AESTHETICS

Color: Black • Finishing: Glossy black • Aesthetics: Universale • Front panel colour: Black • Door type: Galvanized • LED/display  
colour: White • Buttons colour: Black

### PROGRAMME / FUNCTIONS

N. of programmes: 8 • Soak: Yes • Full express - 60 minutes: Yes • Express 50°: Sì • ECO: Yes • Mix: Yes • Self clean: Yes •  
Intense 60°: Yes • Washing temperatures: 50, 60 °C • Auto 50°-60°: Yes

### OPTIONS

Delay timer option: Up to 24 hours • Extreme option: Yes • Crystal option: Yes • Sterilise option: Yes

## BASKETS

N° baskets: 3, Flexi • Basket colour: Grey • Basket components colour: Grey • Handle: In plastic on upper and lower basket • Upper Basket: With central fixed racks • Glass holder: Yes • Height adjustment of the upper basket: On two levels (4 cm) • Lower Basket: With 2 foldable racks • Largest loadable dish in upper basket: 14,0 cm • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 31,5 cm • Colour Inner Components: Grey

## TECHNICAL FEATURES

Controls: Electronic • Display: Delayed start, Programme time indicator, Time to end indication • Door opening system: Yes • Display type: LED display (3 digit) • On/off indicator: Yes • Salt light indicator: Light • Rinse aid indicator: Light • End of cycle indicator: ActiveLight • Washing system: Standard • Drying system: Natural condenser drying, with Dry Assist automatic door opening system at the end of the cycle • Motor: Inverter • Water softener: With electronic setting • Turbidity sensor Aquatest: Yes • Flood protection system: Total Acquastop • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Max water hardness: 90°FH; 50°dH • Steam protection: In plastic • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max plinth height: 40 - 175 mm • Min. and max. frontal panel weight: 2 - 7,5 kg • Hinges: Self balancing, Sliding, FLEXIFIT • Can be installed in-column: Yes • Adjustable feet: 6 cm, from 820 to 880 mm • Back feet adjustable from front: Yes

## PERFORMANCE / ENERGY LABEL NEW 2019

Energy Efficiency Class: D • Energy consumption [per 100 cycles, based on the eco programme]: 67 kWh • Rated capacity (ps): 10 • Water consumption [per cycle]: 9.9 litres • Programme duration: 4:00 h:min • Airborne acoustical noise emissions: 44 dB(A) re 1 pW • Airborne acoustical noise emission class: B • Energy efficiency Index (EEI): 49.9

## ELECTRICAL CONNECTION

Connected power: 1300 W • Voltage: 220-240 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 150 cm

## FEATURES ATTRIBUTES



Noise level: 40 - 44 dB(A)

## LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 818x446x550 • Net weight (kg): 33.700 kg

## OPTIONAL

KITPLV2: Extension kit, Dishwashers



\* 40-175

\*\* 100-235