

## STL272D

Dishwasher, Universal, Built-in concealed total, 60cm, Number of places: 13, Silver, D



### PRODUCT IDENTITY

#### TYPE

Family: Dishwashers • Commercial height: 82cm • Number of place settings: 13 • Installation: Total concealed concealed •

Commercial width: 60cm • Kitchen panel: Nonindototation • EAN code: 8017709306939

### AESTHETICS

Color: Silver • Finish: Silver • Aesthetics: Universal • Front color: Silver (grigiooropal) • Door type: Silver (grigiooropal) •

Colored / display: Biancoebly • Color keys: Silver (grigiooropal)

### PROGRAMS / FUNCTIONS

Number of programs: 10 + 1 • Soaking: Yes • Express27': Yes • Fullexpress60': Yes • ECO: Yes • Silent (-2dB): Yes • Mix: Yes • Intensive:

Si • Hygiene99,9%: Si • Selfclean: Si • Delicato: Si • Calici: Si • Temperature dilavaggio: 38,45,50,55,65,70,75°C

## OPTIONS

DryAssist + option: Yes • Delayed start option: Up to 24 hours • FlexiZone 1 / 2load option: Yes • Programs option

Specials: Yes

## BASKETS

N ° cesti: 2 • Colorecestelli: Grigio • Colorecomponentisticacestelli: Grigio • Maniglia: Inplasticasucestosuperioreeinferiore •

Upper basket: With fixed inserts • Glassholder: Yes • Height adjustment of the upper basket: Sutrelevelli (5cm) • Basket

lower: With 2 foldable inserts • Maximum dimensions

drop-breaker insert: Yes • Maximum size

Internal Components: Blue

## TECHNICAL FEATURES

Controls: Electronic • Display: Delayed start programming, Program duration indication, Remaining time indication •

Sistemadiapertura: Si • Tipodisplay: DisplayLED(3digit) • Indicatoreon/off: Si • Indicatoreesaurimentosale: Spia •

Indicatorebrillantante: Spia • Indicatoredefineciclo: Segnaleonor • Sistemadilavaggio: Orbitale • Sistemadiasciugatura: A

condensazione naturale, sistema DryAssist + diapertura automatica della porta a fine ciclo • Motore: Inverter 2.0 • Terzo

top sprinkler: Single • Water softener: Electronic adjustment • Flood protection system: Total water

• Water supply: Single; cold / hot water up to 60 ° C - energy saving with hot water up to 35% • Maximum

water hardness: 100 ° fH; 58 ° dH • Steam protection: Plastic • Tank material: Stainless steel • Filter: Stainless steel •

Hidden heating element: Yes • Minimum height and maximum plinth: 50-215mm • Minimum and maximum panel weight

front: 2-11kg • Hinges: Balancing, Sliding, FLEXIFIT • Adjustable feet: 7cm, from 820 to 890mm • Rear foot

adjustable from front: Yes

## PERFORMANCE / ENERGY LABEL-REG. 2019

Energy Efficiency Class: D • Energy Consumption [per 100 cycles, based on the program]: 84KWh • Nominal capacity

(ps): 13 • Consumo di acqua [per ciclo]: 12.0l • Durata del programma: 4:10h:min • Emissioni di rumore aereo: 47dB(A) re1

pW • Classi di emissione di rumore aereo: C • Indici di Efficienza Energetica (IEE): 49.9

## ELECTRICAL CONNECTION

Installed power: 1800W • Voltage: 220-240V • Connection type: Single phase • Frequency: 50Hz • Cable length

power supply: 140cm

## ATTRIBUTISTATISTIC

Noise: 45-47dB (A)

## LOGISTICS INFORMATION

Dimensioni del prodotto HxLxP(mm): 818x598x545 • Peso netto(kg): 41.000kg

OPTIONAL

KITPLV2: Accessories, Type: Kitprolunga, DishwasherKITGH: Accessories, Type: KitCalici holder, DishwasherKITFLEXI:

Accessories, Type: Kit, Dishwasher

