

STX32BLLC

Dishwashers, Classica, Under counter built-in, 60 cm, Number of place settings: 13, Stainless steel, B



Å 82 cm ▼	tÖl	\otimes	④	27min	60 min	ECO 50°	٩Ł
AUTO 45°-65°	65°	70°	â75°	÷	Q45°		$\widehat{\mathbb{N}}$
(<u>*</u>)	Ś		1111	Š	ACTIVE LIGHT	\oint	
	2	Ê В	000 9 lt	< 42 dB			

TYPE

Product Family: Dishwashers • Commercial height: 82 cm • Number of place settings: 13 • Installation: Under counter built-in • Commercial width: 60 cm • EAN code: 8017709307394

AESTHETICS

Color: Stainless steel • Finishing: Fingerproof • Aesthetics: Classica • Front panel colour: Finger friendly stainless steel • Door type: STX • Door colour: Finger friendly stainless steel • LED/display colour: White • Handle colour: Stainless Steel • Buttons colour: Silver (oropal grey)

PROGRAMME / FUNCTIONS

N. of programmes: 10+1 • Soak: Yes • Express 27': Yes • Full express - 60 minutes: Yes • ECO: Yes • Quiet (-2 dB): Yes • Auto sensor 45-65: Yes • Mix: Yes • Intense: Yes • Hygiene 99,9%: Yes • Self clean: Yes • Crystal: Yes • Washing temperatures: 38, 45, 50, 55, 65, 70, 75 °C

OPTIONS

Dry Assist+ option: Yes • Delay timer option: Up to 24 hours • 1/2 load FlexiZone option: Yes • Special programs option: Yes

BASKETS

N° baskets: 3, FlexiDuo with Easy Glide • Basket colour: Grey • Basket components colour: Grey • Handle: In plastic on upper and lower basket • Upper Basket: With 3 foldable racks • Glass holder: Yes • Height adjustment of the upper basket: On three levels (5 cm) • Sliding Guides Extra Glide: Yes • Lower Basket: With 4 foldable racks • Largest loadable dish in upper basket: 19,0 cm • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 30,0 cm • Colour Inner Components: Blue

TECHNICAL FEATURES

Controls: Electronic • Display: Delayed start, Programme time indicator, Time to end indication • Door opening system: Yes • Display type: LED display (3 digit) • On/off indicator: Yes • Salt light indicator: Light • Rinse aid indicator: Light • End of cycle indicator: ActiveLight • Washing system: Planetarium • Drying system: Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle • Motor: Inverter 2.0 • Third spray arm: Single • Water softener: With electronic setting • Turbidity sensor Aquatest: Yes • Flood protection system: Total Acquastop • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Max water hardness: 100°fH;58°dH • Steam protection: Metallic sheet • Internal light: With White led • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max plinth height: 100 - 228 mm • Hinges: Self balancing with variable hinges • Adjustable feet: 7cm, from 820 to 890 mm • Back feet adjustable from front: Yes

PERFORMANCE / ENERGY LABEL NEW 2019

Energy Efficiency Class: B • Energy consumption [per 100 cycles, based on the eco programme]: 63 KWh • Rated capacity (ps): 13 • Water consumption [per cycle]: 9.0 litres • Programme duration: 4:25 h:min • Airborne acoustical noise emissions: 42 dB(A) re 1 pW • Airborne acoustical noise emission class: B • Energy efficiency Index (EEI): 37.9

ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 220-240 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 140 cm

FEATURES ATTRIBUTES

Noise level: 40 - 44 dB(A)

LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 818x598x545 • Net weight (kg): 47.000 kg

OPTIONAL



