

B95IMAN9

| | |
|----------------------------------|-------------------|
| Cooker size | 90x60 cm |
| N. of cavities with energy label | 1 |
| Cavity heat source | Electric |
| Hob type | Induction |
| Type of main oven | Thermo-ventilated |
| Cleaning system main oven | Vapor Clean |
| EAN code | 8017709302962 |
| Energy efficiency class | A |



Aesthetics

| | | | |
|-----------------------------|--------------------------|----------------------------|---------------------------|
| Aesthetics | Mista | Display | Touch |
| Series | Master | No. of controls | 7 |
| Colour | Anthracite | Serigraphy colour | Silver |
| Design | Professional | Handle | Smeg new squared |
| Door | With 2 horizontal strips | Handle Colour | Anthracite and matt black |
| Hob colour | Anthracite | Glass type | dark grey |
| Command panel finish | Enamelled metal | Storage compartment | Door |
| Control knobs | Smeg Soft Touch | Logo | Assembled st/steel |
| Controls colour | Soft touch black | Logo position | Facia below the oven |

Programs / Functions

No. of cooking functions 9

Traditional cooking functions



Static



Fan assisted



Circulaire



ECO



Large grill



Fan grill (large)



Base




Fan assisted base

Cleaning functions



Vapor Clean

Other functions

 Defrost by time

Hob options



| | | | |
|------------------|-----|-----------------------|--------------------|
| Control lock | Yes | Limited Power | 3700, 4800, 7400 W |
| Limited Power | Yes | Consumption Mode in W | |
| Consumption Mode | | Multizone Option | Yes |

Hob technical features



Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

| | | | |
|------------------------------------|-----|---------------------------------|-----|
| No. of cooking zones with Booster | 5 | Minimum pan diameter indication | Yes |
| Automatic switch off when overheat | Yes | Selected zone indicator | Yes |
| Automatic pan detection | Yes | Residual heat indicator | Yes |

Main Oven Technical Features



| | | | |
|------------------------------|-------------------|--|--------------------|
| No. of lights | 2 | Removable inner door | Yes |
| Fan number | 2 | Total no. of door glasses | 3 |
| Net volume of the cavity | 115 litres | No. of thermo-reflective door glasses | 2 |
| Gross volume, 1st cavity | 129 l | Safety Thermostat | Yes |
| Cavity material | Easy clean enamel | Cooling system | Tangential |
| Shelf positions | 5 | Usable cavity space dimensions (HxWxD) | 371x724x418 mm |
| Type of shelves | Metal racks | Temperature control | Electro-mechanical |
| Light type | Halogen | Lower heating element power | 1700 W |
| Light power | 40 W | Upper heating element - Power | 1200 W |
| Cooking time setting | Start and Stop | Grill element | 1700 W |
| Light when oven door is open | Yes | Large grill - Power | 2900 W |
| Door opening | Flap down | Circular heating element - Power | 2 x 1550 W |
| Removable door | Yes | Grill type | Electric |
| Full glass inner door | Yes | | |

Soft Close system Yes

Options Main Oven

| | | | |
|-------------------------------|-----|---------------------|--------|
| Timer | Yes | Minimum Temperature | 50 °C |
| End of cooking acoustic alarm | Yes | Maximum temperature | 260 °C |


Accessories included for Main Oven & Hob



| | | | |
|------------------------------|---|--|---|
| Rack with back and side stop | 1 | Grill mesh | 1 |
| 20mm deep tray | 1 | Telescopic Guide rails, partial Extraction | 1 |
| 40mm deep tray | 1 | Meat Probe | 1 |

Electrical Connection

| | | | |
|---------------|-----------|---------------------------|----------|
| Nominal power | 10600 W | Frequency | 50/60 Hz |
| Current | 46 A | Power supply cable length | 150 cm |
| Voltage | 220-240 V | Terminal block | 5 poles |
| Voltage 2 (V) | 380-415 V | | |



Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KIT95B95A

Height extension kit 2 side and front panels (950mm), anthracite, for B95 cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



KITC9X9-1

Splashback, 90x75 cm, stainless steel, suitable for Portofino and Symphony cookers



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



SFLK1

Child lock



PRTX

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



PPR9

Refractory pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.




PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm






























SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

| | |
|---|---|
|  <p>P Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p> |  <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p> |
|  <p>Air cooling system: to ensure a safe surface temperatures.</p> |  <p>Defrost by time: with this function the time of thawing of foods are determined automatically.</p> |
|  <p>Triple glazed doors: Number of glazed doors.</p> |  <p>ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.</p> |
|  <p>A: Product drying performance, measured from A+++ to D / G depending on the product family</p> |  <p>Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.</p> |
|  <p>Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.</p> |  <p>Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.</p> |
|  <p>Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.</p> |  <p>Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.</p> |
|  <p>Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.</p> |  <p>ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.</p> |
|  <p>Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.</p> |  <p>Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.</p> |
|  <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p> |  <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p> |

-
- | | |
|---|--|
|  <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p> |  <p>The inner door glass: can be removed with a few quick movements for cleaning.</p> |
|  <p>Side lights: Two opposing side lights increase visibility inside the oven.</p> |  <p>Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.</p> |
|  <p>The oven cavity has 5 different cooking levels.</p> |  <p>Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.</p> |
|  <p>Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.</p> |  <p>Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.</p> |
|  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> | |