

C92IPBL9-1

Cooker size 90x60 cm

N. of cavities with energy label

Cavity heat source Electric
Hob type Induction
Type of main oven Thermo-v

Type of main oven
Thermo-ventilated
Type of second oven
Static

Cleaning system main oven Pyrolytic

EAN code 8017709268398

Energy efficiency class A
Energy efficiency class, second cavity A



Aesthetics

fan)

AestheticsClassicDisplayTouchSeriesSymphonyNo. of controls8ColourBlackSerigraphy colourSilver

Design Square design **Handle** Smeg Classic

Door With 2 horizontal strips Handle Colour Brushed stainless steel

2

UpstandYesGlass typedark greyHob colourStainless steelFeetSilverCommand panel finishEnamelled metalStorage compartmentDoor

Control knobsSmeg ClassicLogoAssembled st/steelControls colourStainless steelLogo positionFacia below the oven

9

Programs / Functions

No. of cooking functions

Traditional cooking functions

Static Fan assisted Circulaire

Turbo (circulaire + bottom + upper + ECO ECO Small grill

Sinding file

Large grill (large) Fan assisted base



Cleaning functions



Pyrolytic

Programs / Functions Auxiliary Oven

Bottom element + Upper element

Traditional cooking functions, cavity 2

Small grill

Large grill

Bottom

Fan-assisted bottom

Hob technical features









Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 22.0x18.5 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

No. of cooking zones

with Booster

Automatic switch off Yes

when overheat

Automatic switch off Yes

when overflow

Automatic pan Yes

detection

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator

Main Oven Technical Features





















No. of lights 1 Fan number Net volume of the cavity 70 litres

Gross volume, 1st cavity 791

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks

Roof Liner Yes Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Removable inner door Yes Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Door Lock During

Pyrolisis

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Yes

360X460X425 mm



Door opening Flap down Lower heating element 1200 W

power Removable door Yes

Upper heating element - 1000 W Full glass inner door Yes

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

.4:

Timer Yes Minimum Temperature 50 °C 280 °C End of cooking acoustic Yes Maximum temperature

alarm

Second Oven Technical Features

Net volume of the 35 litres No. total door glasses second cavity No. thermo-reflective

Gross volume, 2nd 36 I door glasses

cavity

Safety Thermostat Yes Cavity material Easy clean enamel

Cooling system **Tangential** Shelf positions Usable cavity space 311x206x418 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights Electro-mechanical Temperature control

Incandescent Lower heating element - 700 W Light type

25 W Light power

Upper heating element - 600 W Door opening Flap down

Power Yes

Removable door Grill element - power 1300 W Full glass inner door Yes 1900 W Large grill - Power Removable inner door Yes

Grill type Electric

Options Auxiliary Oven

Minimum Temperature Maximum temperature 50°C 245°C

Accessories included for Main Oven & Hob

Rack with back and side 1 Telescopic Guide rails, 1 total Extraction

20mm deep tray **Meat Probe** 1 1 Child Lock 40mm deep tray 1

Grill mesh 1




Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1 stop Child lock 1

Wide baking tray 1

Electrical Connection

Nominal power15400 WVoltage 2 (V)380-415 VCurrent43 AFrequency50/60 HzVoltage220-240 VTerminal block5 poles





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

KIT600C92PX

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



PPR2

Refractary pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



KITPBX

Height reduction feet (850 mm)



BN620-1

Enamelled tray, 20mm deep



SCRP

Induction and ceramic hobs and teppanyaki scraper



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



Heigh extension feet (950 mm), stainless steel, suitable for Master, Symphony and Concertcookers

KITC9X9

Splashback, 90x75 cm, stainless steel, suitable for Master cookers



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

P	

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.