

DUSF6300X

Oven, Classic, Double under-counter, Thermo-ventilated, Static, Stainless steel, A, B





CLOSED DOOR GRILLING

Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduced energy consumption.



EASY CLEAN ENAMEL INTERIOR

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.



ECLIPSE BLACK GLASS

Eclipse black glass is an innovative, premium material which appears jet black when the oven is off, yet transparent when the oven is turned on, offering enhanced visibility into the oven cavity to check on cooking progress with ease.

































TYPE

Product Family: Oven • Category: Double under-counter • Cooking Method Secondary Oven: Static • Cooking Method: Thermoventilated • Power supply: Electric • EAN code: 8017709273590

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetics: Classic • Material: Stainless steel • Type of steel: Brushed • Glass

Type: Eclipse • Door: With 2 horizontal strips • Handle: Classic • Handle Colour: Stainless steel

PROGRAMS / FUNCTIONS

No. of cooking functions: 4 • Traditional cooking functions: Ciculaire, ECO, Large grill, Fan grill (large)

CONTROLS

Control setting: Knobs & touch buttons • No. of controls: 4 • Control knobs: Classic • Controls colour: Steel effect • Buttons colour: Silver

PROGRAMS / FUNCTIONS AUXILIARY OVEN

No. of cooking functions secondary oven: 4 • Traditional cooking functions, cavity 2: Static, ECO, Small grill, Large grill

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 1

OPTIONS AUXILIARY OVEN

TECHNICAL FEATURES

Display name: DigiScreen • Display technology: LED • Temperature control: Electro-mechanical • Minimum Temperature: 50 °C • Maximum temperature: 250 °C • Cavity material: Easy clean enamel • Shelf positions: 4 • Shelves type: Metal racks • No. of lights: 1 • User-replaceable light: Yes • Light type: Halogen • Light power: 40 W • Light when door is opened: Yes • Pan stands: 1 • Door opening type: Standard opening • Door: Fresh Touch • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 3 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2700 W

SECOND OVEN TECHNICAL FEATURES

No. of lights: 1 • Maximum temperature: 250 °C • Light type: Halogen • Shelf positions: 3 • Light power: 40 W • Minimum Temperature: 80 °C • Tiliting grill: Yes • Time-setting options: No delay options • Second cavity material: Enamelled • Removable door: Yes • Removable inner door: Yes • No. of total door glasses: 3 • No. of thermoreflecting door glasses: 1 • Bottom heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • Net volume of the cavity: 61 litres • Energy consumption in forced air convection: 2.77 MJ • Energy consumption per cycle in fan-forced convection: 0.77 KWh

PERFORMANCE / ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: B • Consumo di energia per ciclo in convezione naturale, seconda cavità: 3.02 MJ • Energy consumption per cycle in conventional mode, second cavity: 0.84 KWh • Net volume of the second cavity: 35 litres

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power (W): 4800 W • Frequency (Hz): 50/60 Hz

LOGISTIC INFORMATION

Dimensions of the product (mm): 719x597x570 • Net weight (kg): 51.500 kg • Gross weight (kg): 56.200 kg

ACCESSORIES INCLUDED

Extra deep enamelled tray (40mm): 2Grill mesh: 2Chrome shelf: 2

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Full glass inner door: Yes

OPTIONAL

GTT: Telescopic guides, Ovens, CookersGTP: Telescopic guides, Ovens, Cookers

