

GP61X9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

60x60 cm

1

Electric Gas

Thermo-ventilated

Pyrolytic

8017709181789



Aesthetics



Aesthetics Classic

Series Concert Colour Stainless steel

Finishing Brushed

Design Standard

Door Full glass

Upstand Yes Type of pan stands Cast Iron

Stainless steel Hob colour Command panel finish Stainless steel

Control knobs **Smeg Classic**

Controls colour Stainless steel

electronic 5 buttons Display

Colour of buttons Black No. of controls 6 Serigraphy colour Black

Handle **Smeq Classic**

Handle Colour Brushed stainless steel

Glass type Stopsol Feet Silver Storage compartment Door

Embossed

Logo position Facia below the oven

Programs / Functions

No. of cooking functions

9



Traditional cooking functions

Static

Fan assisted

Circulaire

Turbo (circulaire + bottom + upper +

ECO

Small grill

fan)

Large grill

Fan grill (large)

Fan assisted base

Cleaning functions



Pyrolytic

Hob technical features



Total no. of cook zones 4

Front left - Gas - UR - 3.50 kW

Rear left - Gas - Semi Rapid - 1.75 kW

Rear right - Gas - Semi Rapid - 1.75 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Automatic electronic Yes

ignition

Gas safety valves

Burner caps Matt black enamelled

Yes

Main Oven Technical Features

















No. of lights

Net volume of the cavity 70 litres Gross volume, 1st cavity 791

Cavity material Easy clean enamel

Shelf positions

Metal racks Type of shelves Light type Halogen

40 W Light power

Cooking time setting Start and Stop

Light when oven door is

open

No.of thermo-reflective

door glasses

Safety Thermostat Heating suspended when door is opened Yes Yes

Cooling system

Yes

Tangential

Door Lock During

Pyrolisis

Usable cavity space dimensions (HxWxD)

Temperature control

360X460X425 mm

Electro-mechanical



Removable door Yes Lower heating element 1200 W

power Full glass inner door Yes

Upper heating element - 1000 W Removable inner door Yes

Power Total no. of door glasses 4

1700 W Grill elememt Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Minimum Temperature 50 °C Timer Yes End of cooking acoustic Yes Maximum temperature 280 °C

alarm

Accessories included for Main Oven & Hob

Rack with back and side 2

Grill mesh Telescopic Guide rails,

40mm deep tray partial Extraction


Electrical Connection

Nominal power 3000 W Frequency 50/60 Hz Current Power supply cable 120 cm 13 A

length Voltage 220-240 V

Terminal block 3 poles Voltage 2 (V) 380-415 V







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1
Child lock

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



PPR2

Refractary pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



BG6090-1

Cast iron grill plate suitable for Concert cookers



BN620-1

Enamelled tray, 20mm deep



PPX6090-1

Stainless steel teppanyaki grill plate suitable for 90cm Concert cookers



KITPD

Heigh extension black feet (950 mm) for cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



KITPAX

Heigh extension feet (950 mm), stainless steel, suitable for Master, Symphony and Concertcookers



KITP60X9

Splashback, 90 cm, stainless steel, suitable for pyrolytic Concert cookers

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep

-



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

| С. | m |
|-----|----|
| [| -1 |
| L. | m |
| 100 | |

Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.



Quadruple glazed: Number of glazed doors.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.





The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.