

# SCB61PIN9

Cooker size	60x60 cm
N. of cavities with energy label	1
Cavity heat source	Electric
Hob type	Induction
Type of main oven	Thermo-ventilated
Cleaning system main oven	Pyrolytic
EAN code	8017709292089
Energy efficiency class	A



## Aesthetics

<b>Aesthetics</b>	Classic	<b>Display</b>	Touch
<b>Series</b>	Concert	<b>No. of controls</b>	6
<b>Colour</b>	Black	<b>Serigraphy colour</b>	Silver
<b>Finishing</b>	Glossy Black	<b>Handle</b>	Smeg Classic
<b>Design</b>	Standard	<b>Handle Colour</b>	Brushed stainless steel
<b>Door</b>	With 2 horizontal strips	<b>Glass type</b>	Stopsol
<b>Upstand</b>	Yes	<b>Feet</b>	Silver
<b>Hob colour</b>	Stainless steel	<b>Storage compartment</b>	Door
<b>Command panel finish</b>	Enamelled metal	<b>Logo</b>	Assembled st/steel
<b>Control knobs</b>	Smeg Classic	<b>Logo position</b>	Facia below the oven
<b>Controls colour</b>	Stainless steel		

## Programs / Functions

No. of cooking functions	9
--------------------------	---

## Traditional cooking functions



Static



Fan assisted



Circulaire



Turbo (circulaire + bottom + upper +



ECO



Small grill

fan)



Large grill



Fan grill (large)



Fan assisted base

## Cleaning functions



Pyrolytic

## Hob options



Control lock

Yes

Limited Power

Yes

Consumption Mode

Limited Power

3000, 4500, 7400 W

Consumption Mode in W

Multizone Option

Yes

## Hob technical features



Total no. of cook zones 4

Front left - Induction - single - 1.60 kW - Booster 1.85 kW - 21.1x19.1 cm

Rear left - Induction - single - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm

Rear right - Induction - single - 2.10 kW - Booster 2.30 kW - Ø 21.0 cm

Front right - Induction - giant - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

No. of cooking zones with Booster

4

Minimum pan diameter indication

Yes

Automatic switch off when overheat

Yes

Selected zone indicator

Yes

Automatic pan detection

Yes

Residual heat indicator

Yes

## Main Oven Technical Features



No. of lights

1

Fan number

1

Net volume of the cavity 70 litres

Gross volume, 1st cavity 79 l

Cavity material

Easy clean enamel

Shelf positions

5

Total no. of door glasses 4

No. of thermo-reflective door glasses 3

Safety Thermostat

Yes

Heating suspended when door is opened

Yes

Type of shelves	Metal racks	Cooling system	Tangential
Light type	Halogen	Door Lock During Pyrolysis	Yes
Light power	40 W	Usable cavity space dimensions (HxWxD)	360X460X425 mm
Cooking time setting	Start and Stop	Temperature control	Electro-mechanical
Light when oven door is open	Yes	Lower heating element power	1200 W
Door opening	Flap down	Upper heating element - Power	1000 W
Removable door	Yes	Grill element	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Circular heating element - Power	2000 W
		Grill type	Electric

## Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	280 °C


## Accessories included for Main Oven & Hob



Rack with back and side stop	2	Grill mesh	1
40mm deep tray	1	Telescopic Guide rails, partial Extraction	1

## Electrical Connection

Nominal power	10400 W	Voltage 2 (V)	380-415 V
Current	46 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	5 poles



## Not included accessories

### AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



### GTP

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



### BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



### PPR2

Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



### BN620-1

Enamelled tray, 20mm deep



### SCRP

Induction and ceramic hobs and teppanyaki scraper



### TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### SFLK1

Child lock



### PRTX

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.




### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### KITH95

Height extension kit (950 mm), stainless steel



### KITPDQ

Height reduction feet (850 mm), stainless steel, for cookers



### BBQ


Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



### PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm





**KITP60X9**

Splashback, 90 cm, stainless steel,  
suitable for pyrolytic Concert cookers




**GTT**

**\*\*Totally extractable telescopic  
guides (1 level)\*\* Extraction: 433 mm  
Material: Stainless steel AISI 430  
polished**



**BN640**



















Enamelled tray, 40mm deep



**SMOLD**

**Set of 7 silicone moulds for ice creams,  
ice lollies, pralines, ice cubes or to  
portion food. Usable from -60°C to  
+230°C**

## Symbols glossary

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Air cooling system: to ensure a safe surface temperatures.		Quadruple glazed: Number of glazed doors.
	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		A: Product drying performance, measured from A+++ to D / G depending on the product family
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.		Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.
	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.		ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.		Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.
	Giant zone: The giant zone offers extra space and flexibility.		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



**Induction:** The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



**All glass inner door:** All glass inner door, a single flat surface which is simple to keep clean.



**The inner door glass:** can be removed with a few quick movements for cleaning.



**Side lights:** Two opposing side lights increase visibility inside the oven.



**Pyrolytic:** Pyrolytic cleaning cycles can be selected as necessary to automatically clean the oven interior.



**Indication of residual heat:** After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



**The oven cavity has 5 different cooking levels.**



**Telescopic rails:** allow you to pull out the dish and check it without having to remove it from the oven entirely.



**The capacity indicates the amount of usable space in the oven cavity in litres.**