

SCB61PIX9

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 60x60 cm 1 Electric Induction Thermo-ventilated Pyrolytic 8017709294748 A



Aesthetics

Aesthetics	Classic	Display	Touch
Series	Concert	No. of controls	6
Colour	Stainless steel	Serigraphy colour	Silver
Finishing	Brushed	Handle	Smeg Classic
Design	Standard	Handle Colour	Brushed stainless steel
Door	With 2 horizontal strips	Glass type	Stopsol
Upstand	Yes	Feet	Silver
Hob colour	Stainless steel	Storage compartment	Door
Command panel finish	Stainless steel	Logo	Embossed
Control knobs	Smeg Classic	Logo position	Facia below the oven
Controls colour	Stainless steel		

Programs / Functions

No. of cooking functions

9



Traditional cooking functions		
Static	Fan assisted	Circulaire
Turbo (circulaire + bottom + upper +	ECO ECO	Small grill
fan)		
Large grill	😿 Fan grill (large)	🛞 Fan assisted base
Cleaning functions		
Pyrolytic		

Hob options

Control lock	Yes	Limited Power	3000, 4500, 7400 W
Limited Power	Yes	Consumption Mode in W	
Consumption Mode		Multizone Option	Yes

Hob technical features



Total no. of cook zones 4 Front left - Induction - single - 1.60 kW - Booster 1.85 kW - 21.1x19.1 cm Rear left - Induction - single - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm Rear right - Induction - single - 2.10 kW - Booster 2.30 kW - Ø 21.0 cm Front right - Induction - giant - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

No. of cooking zones with Booster	4	Minimum pan diameter indication	Yes
Automatic switch off when overheat	Yes	Selected zone indicator Residual heat indicator	
Automatic pan detection	Yes		

Main Oven Technical Features

7011 🧾 🗾 🔊	
No. of lights	1
Fan number	1
Net volume of the cavity	70 litres
Gross volume, 1st cavity	79 I
Cavity material	Easy clean enamel
Shelf positions	5

Total no. of door glasses4No.of thermo-reflective3door glasses3Safety ThermostatYesHeating suspendedYeswhen door is opened3



Type of shelves Light type Light power Cooking time setting Light when oven door is	Metal racks Halogen 40 W Start and Stop Yes	Cooling system Door Lock During Pyrolisis Usable cavity space dimensions (HxWxD)	Tangential Yes 360X460X425 mm
open Door opening Removable door Full glass inner door	pen Door opening Flap down Removable door Yes Full glass inner door Yes	Temperature control Lower heating element power Upper heating element - Power	Electro-mechanical 1200 W 1000 W
Removable inner door Yes	Grill elememt Large grill - Power Circular heating element - Power Grill type	1700 W 2700 W 2000 W Electric	

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	280 °C
alarm			


Accessories included for Main Oven & Hob

Rack with back and side	2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	partial Extraction	

Electrical Connection

Plug	(F;E) Schuko	Voltage 2 (V)	380-415 V
Nominal power	10400 W	Frequency	50/60 Hz
Current	46 A	Terminal block	5 poles
Voltage	220-240 V		








Not included accessories

AIRFRY



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

PPR2



Refractary pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



KITH95

240 mm.

SFLK1

PRTX

put on the griddle.

Child lock

Height extension kit (950 mm), stainless steel

Refractary pizza stone with handles. D=35cm Not suitable for microwave

ovens. Suitable for gas ovens, to be

Universal griddle for induction, gas,

ceramic and electric hobs. Non-stick

surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x



BN620-1 Enamelled tray, 20mm deep

Induction and ceramic hobs and

teppanyaki scraper



KITPDQ

Height reduction feet (850 mm), stainless steel, for cookers

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm

TPKPLATE

SCRP



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.







KITP60X9

Splashback, 90 cm, stainless steel, suitable for pyrolytic Concert cookers



BN640

Enamelled tray, 40mm deep



GTT


Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary





	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	豆	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
B	The inner door glass: can be removed with a few quick movements for cleaning.	0	Side lights: Two opposing side lights increase visibility inside the oven.
P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.	14	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
<u>.5</u>	The oven cavity has 5 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
70 lt	The capacity indicates the amount of usable space in the oven cavity in litres.		