

SO4102S3B3

Category Product Family Vitality system Power supply Heat source Cooking method Galileo cavity Cleaning system EAN code

45cm compact Oven Yes Electric Electric Combi Steam Steam100 Vapor Clean 8017709325619



Aesthetics

Aesthetics	Linea	Serigraphy colour	Grey
Colour	Black	Serigraphy type	Symbols
Finishing	Gloss	Door	Full glass
Design	Flat	Handle	Linea minimal
Material	Glass	Handle Colour	Black
Glass Type	Clear1	Logo	Silk screen
Glass Type	Clear1	Logo	Silk screen

Controls

EVO screen			
Display name	EvoScreen	Control setting	Touch control
Display technology	LCD	Controls colour	Matt black

Programs / Functions

No. of cooking functions

12



Traditional cooking functions		
Static	Fan assisted	Ciculaire
Turbo (circulaire + bottom + upper +	ECO ECO	Large grill
fan)		
Base	Pizza	
Cooking functions with steam		
🍙 Manual steam	Steam + bottom + upper + fan	8 Steam + circulaire + fan
Sous Vide		
Other Steam functions		
Tank cleaning	Water outlet	Water input
Descaling		
Other functions		
Defrost by time	Proving	Stone cooking
BBQ	Air-Fry	Sabbath
Cleaning functions		
Vapor Clean		

Options

- F			
);c			
Time-setting options	Delay start and automatic end cooking	Other options	Keep warm, Eco light, Brightness, Tones
Minute minder	Yes	Showroom demo option	Yes
Timer	1	Rapid pre-heating	Yes
Technical Featur	es		
2 00			
Minimum Temperature	30 °C	Full glass inner door	Yes
Maximum temperature	250 °C	Removable inner door	Yes
Shelf positions	2	Total no. of door glasses	3

Soft Close hinges

Yes

Metal racks

Shelves type



No. of lights	1	Soft Open	Yes
Light type	Halogen	Safety Thermostat	Yes
User-replaceable light	Yes	Chimney	Variable
Light power	40 W	Cooling system	Tangential
Light when door is	Yes	Cooling duct	Single
opened		Steam range	20 - 100%
Lower heating element power	1200 W	Usable cavity space dimensions (HxWxD)	211x462x401 mm
Grill element - power	1800 W	Temperature control	Electronic
Circular heating element - Power	2000 W	Cavity material	Easy clean enamel
	X	Water loading	Drawer, manual
Heating suspended when door is opened	Yes	Tank capacity	0,8
Door opening type	Standard opening		
Door	Temperate door		
Removable door	Yes		

Performance / Energy Label



Energy efficiency class	A++	Energy consumption in	1.58 MJ
Net volume of the cavity	41 litres	forced air convection	
Energy consumption per cycle in conventional mode	0.80 KWh	Energy consumption per cycle in fan-forced convection	0.44 KWh
Energy consumption in	2.88 MJ	Number of cavities	1
conventional mode	-	Energy efficiency index	61.1 %


Accessories Included

Chrome shelf	1	St/steel tray (20mm)	1
Enamelled deep tray (50mm)	1	St/steel perforated deep tray (40mm)	1
Grill mesh	1	Other	water loading kit

Electrical Connection

Voltage	220-240 V	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable	150 cm
Nominal power (W)	3000 W	length	







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

BX640PL

Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour



BN620-1

Enamelled tray, 20mm deep



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

ET50

Enamelled tray, 50mm deep



ET20 Enamelled tray, 20mm deep

BBQ

recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

Double sided plate BBQ. Suitable for



BN640

Enamelled tray, 40mm deep



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm


GTTV2

Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they

Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Symbols glossary





	Sous Vide Cooking: Steam function for perfect cooking of sous vide dishes. Enhances the taste of dishes and keeps their appearance and nutrients unaltered. Vacuum cooking (Sous Vide) made with the help of a steam oven is also an incredibly healthy and genuine type of cooking. The Sous Vide cooking technique allows heat to be efficiently transferred from the steam to the food, avoiding the loss of flavour due to oxidation and the evaporation of nutrients and moisture during cooking. Sous Vide cooking also allows better control over the cooking of food compared to traditional methods, ensuring uniform cooking results. It also allows cooking at a lower temperature than traditional cooking.		Steam cooking: it's a natural way of cooking for any kind of products, from vegetables to desserts, to preserve the nutritional and organoleptic properties of ingredients. Ideal for cooking without fat, to heat up food without drying. Steam is ideal for simultaneous cooking of meals that require different cooking times.
(%%)	Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.		Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.
	FUN_STEAM_OTHER_WATER_IN_OUT_72dpi		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.
45 cm	Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
H	The inner door glass: can be removed with a few quick movements for cleaning.	ઝોહિ	Keep warm: This function allows you to keep precooked foods warm.
Ó, Ó	Side lights: Two opposing side lights increase visibility inside the oven.		Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
<u>-</u>	Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.	i	Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.
<u>.2</u>	The oven cavity has 2 different cooking levels.	Ø	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
<i></i>	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.	<u>د</u>	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



		۰.
	in.	- 1
Ι.	x	
$\boldsymbol{\nu}$	9	
r.	1	

Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



The capacity indicates the amount of usable space in the oven cavity in litres.



Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.

1	r.	
v		

Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



...

_	

Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire