

# **SOP6104S2PG**







Category 60cm **Product Family** Oven Electric Power supply **Heat source** Electric Cooking method Combi Steam Galileo cavity SteamOne Cleaning system Pyrolytic

EAN code 8017709326838



### **Aesthetics**

**Aesthetics** Linea Serigraphy colour Neptune Grey Colour Door **Finishing** Handle Matte Design Flat **Handle Colour** Material Glass Logo Glass Type Clear1

Black Full glass Linea minimal Satin metal and black

Silk screen

### **Controls**



Display name Display technology Control setting

VivoScreen TFT

Advanced full touch

No. of display languages

Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA),

Zulu (ZA)

## **Programs / Functions**

No. of cooking functions 19 150 **Automatic programmes** Steam assisted levels 3 + manual



Customisable recipes Traditional cooking functions	10					
Static	<b>₹</b> Fan assisted	@ Ciculaire				
8						
Turbo (circulaire + bottom + upper +	ECO ECO	Large grill				
fan)						
Fan grill (large)	Base	© Circulaire + bottom				
Pizza						
Cooking functions with pulsed steam						
Fan assisted	& Circulaire	Circulaire + Bottom + Fan				
<b>©</b> 3						
Turbo (circulaire + bottom + upper +	Fan Grill					
fan)						
Cooking functions with steam						
Steam + bottom + upper + fan	Steam + circulaire + fan	Turbo				
Grill + fan						
Other Steam functions						
Tank cleaning	₩ater outlet	Water input				
Descaling						
Other functions						
Defrost by time	Defrost by weight	Proving				
Stone cooking	BBQ	Air-Fry				
Keep warm	Plate rack/warmer	Sabbath				
Cleaning functions						
Pyrolytic						



### **Options**



















Time-setting options

Delay start and automatic end cooking

Minute minder Yes Timer 3 Controls Lock / Child Yes

Safety

Other options

Keep warm, Eco light, Language setting, Digital clock display, Brightness, Tones, Tones volume

Yes

Cooking with probe thermometer

Multi-step cooking Yes, up to 2 steps

Smart cooking Yes SameTime Yes DeltaT cooking Yes Showroom demo option Yes Demo-tutorial mode Yes Touch guide Yes

Yes, the last 10 functions History

utilised

Rapid pre-heating Yes Instant GO Yes

### **Technical Features**













30°C

280°C
















Shelf positions 5

Shelves type Metal racks

No. of lights 2 Halogen Light type

User-replaceable light Yes 40 W Light power Light when door is Yes

opened

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Heating suspended when door is opened Yes

Door opening type Standard opening

Door Cool Cool Door

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 4 Soft Close hinges Yes Soft Open Yes Safety Thermostat Yes Fixed Chimney Cooling system **Tangential** Cooling duct Double Speed Reduction Yes Cooling System

**Door Lock During** Yes

**Pyrolisis** 

Steam range

Usable cavity space dimensions (HxWxD)

Temperature control Electronic

Cavity material Easy clean enamel Water loading Drawer, manual

20 - 40%

353x470x401 mm

Tank capacity 0,81

## Performance / Energy Label







**Energy efficiency class** 

Net volume of the cavity 68 litres Energy consumption per 1.09 KWh

cycle in conventional

mode

Energy consumption in 3.92 MJ

conventional mode

Energy consumption in 2.45 MJ

forced air convection

Energy consumption per 0.68 KWh

cycle in fan-forced

convection

**Number of cavities** 

**Energy efficiency index** 81 %

### Accessories Included





Premium rack Enamelled tray (20mm) 1

Enamelled deep tray

(50mm)

Grill mesh

Telescopic Guide rails, 1

total Extraction

Temperature probe Other

Yes, multipoint water loading kit

**Electrical Connection** 


Voltage 220-240 V

1

13 A Current 3000 W Nominal power (W)

Frequency (Hz) Power supply cable 50/60 Hz 150 cm

length





### Not included accessories

#### **AIRFRY**

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



#### GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### PR3845N

Black spacer cover for furniture when more ovens are installed in column. Suitable for 45cm Dolce Stil Novo compact ovens.



#### PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



#### **PRTX**

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



#### **ET50**

Enamelled tray, 50mm deep



#### GTT2

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the smooth extraction of the trays.



BN620-1

Enamelled tray, 20mm deep



### **ET20**

Enamelled tray, 20mm deep



#### **BBQ**

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



#### **STONE**

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



#### **PALPZ**

Pizza shovel with fold away handle width: 315mm length: 325mm



#### **BN640**

Enamelled tray, 40mm deep





### Symbols glossary

ш	_			١
н	Œ		=	
ш	Œ		=	
н	E		=	
ш	_			,

Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of q



Manual water loading system: It is possible to load the tank in less than 40 seconds. The loading is done manually thanks to a special funnel included.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Combination steam: ovens can be used either as a steam oven, or as a traditional oven, or alternatively the two methods can be combined.



Air cooling system: to ensure a safe surface temperatures.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is quaranteed.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Defrost by weight: With this function the defrosting time is determined



Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.



Quadruple glazed: Number of glazed doors.



Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.



Electric



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.




ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



technology with style	
-----------------------	--

Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.

Fan combined with traditional cooking, where 3 heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.

Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.

FUN\_STEAM\_OTHER\_WATER\_IN\_OUT\_72dpi

Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.

Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.

Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.

Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Keep warm: This function allows you to keep precooked foods warm.

Side lights: Two opposing side lights increase visibility inside the oven.

Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.

Warming up: An option for dish warming and keeping the prepared meals hot.

Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops

Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted





Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.



Touch guide: By holding down any symbol for 3 seconds you can get information on its function



The oven cavity has 5 different cooking levels.



Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



The 4.3" VIVOscreen display offers an advanced colour touch interface, for automatic management of firing programmes such as Delta T, Multi-step and SameTime firing.





Instant go: activating this option allows cooking to start immediately. Preheating is included in the cooking time and the oven will gradually reach the desired temperature. Particularly suitable for frozen foods.



31



Sametime: The perfect way to have a complete menu in a few simple steps. The SameTime algorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time.



Dedicated cooking function for the Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.



Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire



DeltaT cooking: The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree.