

SO4606WAPNR

Image: Second systemCategoryProduct FamilyVitality systemPower supplyHeat sourceCooking methodGalileo cavitySmegConnectCleaning systemEAN code

45cm compact Oven Yes Electric Electric Multitech Omnichef Yes Vapor Clean 8017709302511



Aesthetics

Aesthetics Colour Finishing Design Component finish Material Dolce Stil Novo Black Gloss Flat Copper Glass Glass Type Door Handle Handle Colour Logo

Eclipse Full glass Dolce Stil Novo Black Applied

Controls

Display name Display technology Control setting

VivoScreen max TFT Advanced full touch

No. of display languages Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA), Zulu (ZA)

Programs / Functions


No. of cooking functions	26
Automatic programmes	150
Steam assisted levels	3 + manual



Customisable recipes Traditional cooking functions	10	
Static	🛞 Fan assisted	Ciculaire
Turbo (circulaire + bottom + upper +	ECO ECO	Large grill
fan)		
😨 Fan grill (large)	Base	Circulaire + bottom
Bizza		
Cooking functions with pulsed ste	am	
Fan assisted	Circulaire	Circulaire + Bottom + Fan
Turbo (circulaire + bottom + upper +	😴 Fan Grill	
fan)		
Cooking functions with steam		
🍙 Manual steam	Steam + bottom + upper + fan	Steam + circulaire + fan
Circulaire + Bottom + Fan	Sous Vide	
Other Steam functions		
Tank cleaning	Water outlet	Water input
Descaling		
Microwave functions		
≈ Microwave	(#**)	🛞 Microwave + circulaire + fan
	Microwave + bottom + top + fan	-
💓 Microwave + grill	Microwavews + Circulaire + bottom	
Microwave functions		
Twintech	Multitech	



Other functions



Options

0 00	Ę (6) 🛆 🚱 🚚		
Time-setting options	Delay start and automatic	DeltaT cooking	Yes
	end cooking	Showroom demo option	Yes
Minute minder	Yes	Demo-tutorial mode	Yes
Timer	3	Touch guide	Yes
Controls Lock / Child Safety	Yes	History	Yes, the last 10 functions utilised
Other options	Keep warm, Eco light,	Rapid pre-heating	Yes
	Language setting, Digital	Instant GO	Yes
	clock display, Tones, Tones volume, Brightness	Connectivity	WI-FI
Cooking with probe thermometer	Yes		
Multi-step cooking	Yes, up to 3 steps		
Smart cooking	Yes		
SameTime	Yes		

Technical Features

.2 🐖 🗋 🕼	B 🔆	e (
Minimum Temperature	30 °C	Total no. of door glasses	4
Maximum temperature	250 °C	Soft Close hinges	Yes
Shelf positions	2	Soft Open	Yes
Shelves type	Metal racks	Inverter	Yes
No. of lights	1	Stirrer	Yes
Light type	LED	Safety Thermostat	Yes
Light power	3 W	Chimney	Double
Light when door is	Yes	Cooling system	Centrifugal
opened		Cooling duct	Double
Lower heating element	1200 W	Speed Reduction	Yes
power		Cooling System	
Upper heating element -	1000 W	Door Lock During	Yes
Power		Pyrolisis	



Grill element - power	1700 W	Steam range	20 - 100%
Large grill - Power	2700 W	Usable cavity space	214x462x397 mm
Circular heating element	1400 W	dimensions (HxWxD)	
- Power		Temperature control	Electronic
Heating suspended	Yes	Cavity material	Easy clean enamel
when door is opened		Water loading	Fill&Hide 2 , automatic
Door opening type	Standard opening	Tank capacity	21
Door	Cool		
Full glass inner door	Yes		

Performance / Energy Label

40 R			
Net volume of the cavity	40 litres	Microwave effective	900 W
Number of cavities	1	power	

Accessories Included

A A			
Chrome shelf	1	St/steel perforated deep	1
Enamelled deep tray	1	tray (40mm)	
(50mm)		Glass tray	1
Grill mesh	1	Telescopic Guide rails,	1
St/steel tray (20mm)	1	total Extraction	
		Temperature probe	Yes, multipoint

Electrical Connection

Voltage	220-240 V	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable	115 cm
Nominal power (W)	3000 W	length	



Not included accessories



PR3845X

GT1T-2

PALPZ

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



Pizza shovel with fold away handle width: 315mm length : 325mm



BN640

Enamelled tray, 40mm deep

Enamelled tray, 20mm deep





Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BN620-1

Enamelled tray, 20mm deep

PR3845N

Black spacer cover for furniture when more ovens are installed in column. Suitable for 45cm Dolce Stil Novo compact ovens.

ET50

GTTV2

Enamelled tray, 50mm deep



GTP2

ET20

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

BX640PL

Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays. BBQ

Totally extractable telescopic guides


(1 level), suitable for steam ovens.

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.





Symbols glossary





(N)	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.	<i>W</i>	Microwave: Penetrating straight into the food, microwaves cook very quickly and with considerable energy savings. Suitable for cooking without fat, they are also able to thaw and heat food without altering its original appearance and aroma. The microwave function can also be combined with conventional functions with all the resulting advantages. Ideal for all types of food.
#®	Cooking with the simultaneous use of the heating element in combination with fan and microwave supply.		Microwave + grill element: The use of the grill results in a perfect browning of the surface of the food. The action of microwaves allows instead of cooking in a short time the internal part of the food.
(#*)	Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the microwave function allows the same cooking results in less time.	0	Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.
	FUN_SOUS_VIDE_72dpi	<i>©</i>	Steam cooking: it`s a natural way of cooking for any kind of products, from vegetables to desserts, to preserve the nutritional and organoleptic properties of ingredients. Ideal for cooking without fat, to heat up food without drying. Steam is ideal for simultaneous cooking of meals that require different cooking times.
(**)	Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.		Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.
4	FUN_STEAM_OTHER_WATER_IN_OUT_72dpi		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.
	Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.	(%) (%)	Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



	Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.	Ś	Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.
	Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.	45 cm	Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.
月	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.	ં[િ	Keep warm: This function allows you to keep precooked foods warm.
<u>≣</u> [((()	Warming up: An option for dish warming and keeping the prepared meals hot.	p	Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops
<u>'</u>	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted	<u>-</u>	Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.
i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works	(Jor	Touch guide: By holding down any symbol for 3 seconds you can get information on its function
<u>.2</u>	The oven cavity has 2 different cooking levels.	•	Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically.
efference of the second se	Appliances with Wi-Fi connectivity. Via SmegConnect App is possible to monitor and remotely control appliances through smartphone and tablet (iOS and Android).	ø	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
8 th	Step cooking: It is possible to set up to 3 cooking phases in the same recipe by varying function, time and / or temperature. At the end of a phase the next one will start automatically	<i></i> آ	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	40 It	The capacity indicates the amount of usable space in the oven cavity in litres.



(((-	Wi-Fi connectivity		
		πī	Instant go: activating this option allows cooking to start immediately. Preheating is included in the cooking time and the oven will gradually reach the desired temperature. Particularly suitable for frozen foods.
((((+))))	Stirrer Active and controlled microwave distribution. The Microwave Stirrer fan distributes the waves evenly within the oven, reducing the need for a turntable.	/31	
	Multicooking Technology: combine up to three different technologies and take the best out of them: steam, microwave, and convection cooking.	1	Fill & Hide: The water load system is designed to enhance the aesthetics of the oven. The loading and unloading tube can be easily removed from the oven and the water refilled at any time during the cooking cycle, without opening the door , guaranteeing an infinite duration of steam.
(0B)	Sametime: The perfect way to have a complete menu in a few simple steps. The SameTime algorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time.		
	Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g		Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.
	Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire	*	Chimney: The double chimney technology creates a special airflow inside the cavity that reduce the condensation inside the cavity during microwave cooking.
$\int_{\Delta t}$	DeltaT cooking: The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree.	ŧ	Function to melt butter and chocolate without using the bain-marie
	Function to soften butter and cheese It is useful for quickly bringing frozen desserts to serving temperature The function can also be used to soften ice cream	Ŵ	Function for the preparation of popcorn packaged in bags